

Is a Wound Stopping You from Doing the Things You Love?

NOW THERE'S A SOLUTION.

Say hello to SNAP™ Therapy.

SMART NEGATIVE PRESSURE™ Therapy that fits your lifestyle.

SMART FOR CLINICIANS
SMART FOR PATIENTS
SMART FOR FACILITIES









Managing a Wound Can Be a Difficult Process, But You Are Not Alone...

Chronic (non-healing) wounds affect **over 6 million people** in the U.S.¹ These types of wounds may not heal with standard wound dressings. Negative Pressure Wound Therapy may be a solution to get you back to doing the things you love.

What is Negative Pressure Wound Therapy (NPWT)?

It is an advanced treatment option for healing wounds that involves placing a special dressing over a wound and applying suction to help remove excess fluid, which may promote wound healing.

SMART FOR CLINICIANS

What is SNAP™ Therapy?

The SNAP[™] Therapy System is a small, portable negative pressure wound therapy system.

Easy to Use

 No charging to think about since the system does not need batteries.

Clinical Evidence

Armstrong²

In a multicenter RCT, 132 patients with lower extremity diabetic and venous wounds were enrolled in the study. 118 patients were treated either with SNAP™ Therapy (n=59) or V.A.C.* Therapy (n=56), with 115 patients completing the study.

- Patients were treated for up to 16 weeks or complete wound closure.
- Primary end point analysis of wound size reduction found SNAP™
 Therapy treated subjects demonstrated non-inferiority to V.A.C.*
 Therapy subjects at 4, 8, 12 and 16 weeks (p=0.0030, 0.0130, 0.0051 and 0.0044, respectively).
- The study indicated that the effect of the SNAP[™] Therapy System was not significantly different than that of the V.A.C.* Therapy System in promoting complete wound closure in the population studied (p=0.9620).
- SNAP[™] Therapy patients reported less interruption of activities on daily living compared to V.A.C.* Therapy patients. However, pain associated with treatment was not significantly different between treatment groups.
- Other benefits noted by the authors were shorter time to dressing application and ease of use.
- However, despite randomization, the initial wound size was significantly greater in the V.A.C.* Therapy patients than in the SNAP™ Therapy patients (mean of 9.95cm² vs 5.37cm²; p=0.0093)

Marston³

In a multicenter RCT, 40 patients with venous leg ulcers were treated either with SNAP $^{\text{m}}$ Therapy (n=19) or V.A.C. $^{\text{m}}$ Therapy (n=21)

- · Patients were evaluated for 16 weeks or complete wound closure.
- Primary end point analysis of wound size reduction found SNAP™
 Therapy treated subjects significantly greater wound size reduction
 than in V.A.C.* Therapy subjects at 4, 8, 12 and 16 weeks (p=0.0039,
 0.0086, 0.0002, and 0.0005, respectively).
- 53% of SNAP[™] Therapy patients achieved 50% wound closure at 30 days compared to 24% of V.A.C.* Therapy patients.
- However, despite randomization, the initial wound size was significantly greater in the V.A.C.* Therapy patients than in the SNAP™ Therapy patients (mean of 11.6cm² vs 4.49cm²).

SMART FOR PATIENTS



Keep Doing the Things You Love!

The $\mathsf{SNAP}^{\mathsf{M}}$ Therapy System is a smart choice for ambulatory patients with smaller diabetic wounds or venous leg ulcers.

Silent & Discreet

 No batteries - plus it fits under your clothing so friends and family won't know you have it.

Easy to Live With

 You can keep doing your daily activities and enjoy a good night's sleep with no disruption.



SMART FOR FACILITIES

See the Results!

Ask your doctor today if the SNAP[™] Therapy System is right for you. Sample case studies:

Diabetic Heel Wound



Before



After

Venous Leg Ulcer



Before



After

"I have had this wound for a long time, and in the first two weeks of wearing the SNAP™ Therapy Unit, my wound is healing. The system is small and silent, so I'm not interrupted when I sleep."

- Mr B

As with any case study, the results and outcomes should not be interpreted as a guarantee or warranty of similar results. Individual results may vary depending on the patient's circumstances and condition.



Is the SNAP™ Therapy System Right For You?

If you have a chronic wound, the SNAP $^{\text{\tiny M}}$ Therapy System can help you get back to doing the things you love. Ask your doctor if the SNAP $^{\text{\tiny M}}$ Therapy System is an appropriate treatment for your wound.

To learn more about the SNAP[™] Therapy System, please visit **acelity.com** or call **800-275-4524**.

REFERENCES:

- 1. Sen CK, Gordillo GM, Roy S, et al. Human Skin Wounds: A Major and Snowballing Threat to Public Health and the Economy. *Wound Repair Regen*. 2009;17(6):763-771.
- 2. Armstrong DG, Marston WA, Reyzelman AM, Kirsner RS. Comparative effectiveness of mechanically and electrically powered negative pressure wound therapy devices: a multicenter randomized controlled trial. *Wound Repair Regen*. 2012; 20(3):332-341
- 3. Marston WA, Armstrong DG, Reyzelman AM, Kirsner RS. A Multicenter Randomized Controlled Trial Comparing Treatment of Venous Leg Ulcers Using Mechanically Versus Electrically Powered Negative Pressure Wound Therapy. *Advances in Wound Care*. 2015;4(2):75-82.

Patients: It is important that you discuss any potential benefits and risks of a specific therapy with your doctor to decide whether it is right for you. Please consult your treating medical professional regarding specific questions and important information related to SNAP™ Therapy System indications, contraindications, warnings, precautions and operation.

NOTE: Specific indications, contraindications, warnings, precautions and safety information exist for KCI products and therapies. Please consult a physician and product instructions for use prior to application. Rx only.

©2016 KCI Licensing, Inc. All rights reserved. SNAP and V.A.C. are trademarks of KCI Licensing, Inc. DSL#15-0751.US • LIT#29-A-264 • (Rev. 3/16)



